



## CALIFORNIA AIR TOOLS 4610ALFC Ultra Quiet, Oil-Free, Lightweight Air Compressor (Industrial Series)

**4.6** Gallon

---

**1** HP Motor

---

**125** PSI MAX

---

**3.0** CFM @90PSI

---

**60** Decibels



Aluminum  
Long-Life Motor

**ALUMINUM  
LONG LIFE MOTOR**

**1.0 HP  
(Rated/Running)  
- 2.0 HP (Peak)**

**4.6 Gallon Aluminum  
(Rust-Free) Tank**

**4.00 CFM @ 40  
PSI**

**3.00 CFM @ 90 PSI**

The CALIFORNIA AIR TOOLS 4610ALFC Ultra Quiet air compressor is designed to be one of the quietest air compressors in the industry having only 60 decibels of sound.

60 Decibels


1 HP Oil-Free  
Dual-Piston  
Long-Life  
Motor Pump

Industrial Female Quick Connectors

Output Pressure Regulator

Tank Pressure Gauge


Regulated Pressure Gauge



4.6 Gallon  
Lightweight  
& Rust-Free  
Aluminum  
Twin Air  
Tank

44 lbs. 110 Volts 7.6 Amps

The powerful 1.0 HP motor operates at only 1400 RPM creating less noise and less wear.



ULTRA QUIET

ONLY 60 DB NOISE LEVEL


The MP Series of Ultra Quiet Air Compressor Motors have been designed to increase duty cycle and allow for longer continuous run times. \*

The Dual Piston Pump System produces 25% more air compared to other 1.0 Hp air compressor motors. The MP100LF motor/pump is tested for a minimum life of 4000 hours before wear, 30% longer than the MP100 motor/pump.

The 4.6-gallon aluminum air tank is lightweight (44lbs) and rust resistant making it very easy to transport.

This air compressor is ideal for anyone working inside where noise is a major issue.

This air compressor is ideal for anyone working inside where noise is a major issue and customers want the convenience of the automatic drain to take care of daily maintenance. The 4610ALFCAD is particularly ideal for restaurants, bars, fast food facilities, yachts and theme parks.



## FEATURES

- \* **Ultra Quiet - Only 60 decibels**
- \* Oil-Free Pump - Cleaner air for better tool operation. Less maintenance and Costs.
- \* Two pressure control gauges
- \* Two - Female industrial "Push to Connect" quick connectors
- \* Thermal Overload Protector
- \* Condor Pressure Switch
- \* 125 PSI Maximum Pressure
- \* 110v / 60 hz
- \* Low Amp Draw - 7.6 Amps
- \* Time to fill tank from empty to full - 110 Seconds
- \* Recovery time from 90 PSI to 120 PSI - 20 Seconds
- \* Duty Cycle - 70/30\*
- \* Aluminum Air Tank Rust-Free for long life and lightweight only 44 pounds
- \* L (17") x W (17") x H (20")
- \* 1 Year Limited Warranty
- \* Comes Complete with Air Filter
- \* Assembled in USA with global components
- \* Commercial Use: Refer to State & City Codes

For more information and to watch a 4610ALFC product demonstration please visit California Air Tools:  
<https://www.californiaairtools.com/industrial-series-of-quiet-compressors-industrial-grade/oil-free-ultra-quiet-compressors/cat-4610alfc/>

*MODEL: 4610ALFC  
PART NUMBER: CAT-4610ALFC  
Revision A: 08-2024*