



CALIFORNIA AIR TOOLS 20040C Powerful 4.0 Hp Ultra Quiet & Oil-Free Air Compressor



4.0 HP
(Rated/Running)


20 Gallon Steel Tank

12.80 CFM @ 40 PSI

10.60 CFM @ 90 PSI


220 Volts / 60 Hertz
/ Single Phase

The CALIFORNIA AIR TOOLS 20040C Ultra Quiet & Oil-Free Air Compressor is designed to be one of the quietest 4.0 Hp air compressors in the industry having only 75 decibels of sound.





The Powerful Twin 2.0 HP (SP-9421-22060) motors operate at only 1680 RPM creating less noise and less wear.



ULTRA QUIET

ONLY 75 DB NOISE LEVEL

The Oil-Free Dual Piston Pump System is engineered for high performance and durability.

The CAT-20040C Air Compressor has a Oil-Free Dual Piston pump designed to have a life cycle before wear of 3000 Plus hours.


The Oil-Free pump allows for use in a variety of temperatures (cold starts) and uneven terrains (no oil in the pump).

The large 20 Gallon Steel Air Tank is just the right size for a shop or garage.

Designed for the person looking for Power, Air Flow and Less Service with at Least 30% Less Noise!


EASY START VALVE

The Easy Start Valve feature allows for a easier start up using less starting amps. The Easy Start Valve releases a small amount of air from the pump at start up to produce a no-load condition allowing the motor to spin freely. This no-load start up requires less amps for a easier start up in cold temperatures.





Ultra-Quiet Motor/Pump - Only 75 Decibels



FEATURES

- * **Ultra Quiet** - Only **75 decibels**
- * Oil-Free Pump - Cleaner air for better tool operation.
Less maintenance and Costs.
- * Two pressure control gauges
- * One - Female Industrial "Push to Connect" quick connector
- * Condor Pressure Switch
- * Thermal Overload Protector
- * 125 PSI Maximum Pressure
- * 220 Volt / 60 Hertz / Single Phase (No 208 Volts - if necessary, obtain 208 to 220 voltage booster)
- * Low Amp Draw - 14 Amps
- * Time to fill tank from empty to full - 150 Seconds
- * Recovery time from 95 PSI to 125 PSI - 40 Seconds
- * Duty Cycle - 70/30*
- * Less heat which dissipates more efficiently.
- * 20 Gal. Steel Air Tank - pounds and easy to move around.
- * L (39") x W (15") x H (28")
- * 140 lbs
- * 1 Year Limited Warranty
- * Comes complete (4) Air Filters
- * Plug Type: Nema 6-15P (fits Nema 6-15R or 6-20R receptacle)
- * Commercial Use: Refer to State & City Codes
- * Non-ASME Air Tank
- * Assembled in USA with Global Components

For more information and to watch a 20040C product demonstration please visit California Air Tools:
<https://www.californiaairtools.com/contractor-grade-ultra-quiet-series-of-air-compressors/4-0-hp-air-compressors/cat-20040c/>

Manufactured in Mexico using global components.

MODEL: 20040C

PART NUMBER: CAT-20040C

www.californiaairtools.com

Revision A: 07-2024